

TEST REPORT

Issued To: SVM BIOTECH PLOT NO. 102, GLOBAL IND. PARK, MAULI, PANCHKULA (HR.) 134118	Report No. : SMT230626-2000 Report Release Date :23/06/2026 Revision No. : NS Revision Dated :NS Sample Booking No. : P-160626-2000 Sample Booking Date : 16/06/2026
--	---

PART (A) - Sample information:

(1)Name of individual or organization or procurement agency from whom sample received	:	SVM BIOTECH	FSSAI No.	10822999000774
(2)Serial number	:	NS	Date of sender's memorandum:	NS
(3)Number of Samples	:	NS	(4)Date of Receipt of Sample	16/06/2026
(5)Name of Nutraceutical or raw material purporting to be contained in the sample.	:	BERBERINE BERBERIS ARISTATA 95%		
(6) Details of raw material of final products in bulk or final product in finished Pack as obtained by sender.	:	FINISHED PRODUCT		
(6.a) Name and address of the manufacturer mentioned on label	:	SVM BIOTECH	(6.a) Manufacturer FSSAI No.	NS
(6.b) Name of original manufacturer in the case of raw material and re-packed drugs	:	NS	(6.c) Batch number	FS-336
	:	NS	(6.d) Date of Manufacture	03/2026
	:	NS	(6.e) Date of Expiry	08/2026
	:	NS	(6.f) Batch Size	10000 TABLETS
	:	NS	Sample Qty.	30 TABLTES
Analysis Started On	:	16/06/2026	Analysis Completed On	23/06/2026

PART (B): Tested Results

7. Results of test or analysis with protocols of test or analysis applied:- IHS

Description: Yellow colour round shape tablet having plain on both side.

Sr. No.	Test Parameters	Claims	Units	Specification	Results	Method
1.	Identification	-	-	Should be Comply	Complies	IHS
2.	Heavy metals					
-	Lead	-	ppm	Less than 10 ppm	Complies	IHS
-	Arsenic	-	ppm	Less than 3 ppm	Complies	IHS
-	Mercury	-	ppm	Less than 1 ppm	Complies	IHS
-	Cadmium	-	ppm	Less than 0.3 ppm	Complies	IHS
3.	Microbial Test					
-	Total viable aerobic microbial	-	cfu/gm	NMT- 1000 cfu/gm	55 cfu/gm	IHS
-	Yeast and mould count	-	cfu/gm	NMT-100 cfu/gm	Less than 10 cfu/gm	IHS
-	Salmonella	-	-	Should be absent	Absent	IHS
-	E .coli	-	-	Should be absent	Absent	IHS
-	Pseudomonas Aeruginosa	-	-	Should be absent	Absent	IHS
-	Staphylococcus Aureus	-	-	Should be absent	Absent	IHS

Opinion:- In the opinion of the undersigned, the sample referred to above is of standard quality / is not of standard quality as defined in the Act and the rules made thereunder for the reasons given below with respect to above test only.

Remarks:- (i) This test report issued for the test performed, as the customer asked for the above test only.


(ii) NS (Not specified)

*****End of Test Report*****

Signature of Person-in-charge of testing

Disclaimer :

- This report is to be produced wholly or in part and cannot be used as evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
- Total liability of Shagun Medi Testing Pvt. Ltd. is limited to the invoice amount.
- The results listed refer only to the tested samples and applicable parameter endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
- All disputes are subjected to Jurisdiction of Panchkula and maximum liability of the laboratory does not exceed the testing charges
- The laboratory may undertake subcontracting e.g. for a part or tests for which facilities do not exist or in case of equipment breakdown or other such factors beyond the control of laboratory. The customer is informed about the sub-contracting as far as practically possible.



TEST REPORT

Issued To: SVM BIOTECH PLOT NO. 102, GLOBAL IND. PARK, MAULI, PANCHKULA (HR.) 134118	Report No. : SMT230626-1999 Report Release Date : 23/06/2026 Revision No. : NS Revision Dated : NS Sample Booking No. : P-160626-1999 Sample Booking Date : 16/06/2026
--	---

PART (A) - Sample information:

(1) Name of individual or organization or procurement agency from whom sample received	:	SVM BIOTECH	FSSAI No.	10822999000774
(2) Serial number	:	NS	Date of sender's memorandum:	NS
(3) Number of Samples	:	NS	(4) Date of Receipt of Sample	16/06/2026
(5) Name of Nutraceutical or raw material purporting to be contained in the sample.	:	LIVOSYS 6G		
(6) Details of raw material of final products in bulk or final product in finished Pack as obtained by sender.	:	FINISHED PRODUCT		
(6.a) Name and address of the manufacturer mentioned on label	:	SVM BIOTECH	(6.a) Manufacturer FSSAI No.	NS
(6.b) Name of original manufacturer in the case of raw material and re-packed drugs	:	SV-1479	(6.c) Batch number	(6.d) Date of Manufacture
NS	:	SV-1479	04/2026	(6.e) Date of Expiry
Analysis Started On	:	16/06/2026	Analysis Completed On	23/06/2026
	:		(6.f) Batch Size	Sample Qty.
	:		800LTR	200ML

PART (B): Tested Results

7. Results of test or analysis with protocols of test or analysis applied:- IHS

Description: Red colour liquid filled in amber colour plastic bottle.

Sr. No.	Test Parameters	Claims	Units	Specification	Results	Method
1.	Identification	-	-	Should be Comply	Complies	IHS
2.	Heavy metals					
-	Lead	-	ppm	Less than 10 ppm	Complies	IHS
-	Arsenic	-	ppm	Less than 3 ppm	Complies	IHS
-	Mercury	-	ppm	Less than 1 ppm	Complies	IHS
-	Cadmium	-	ppm	Less than 0.3 ppm	Complies	IHS
3.	Microbial Test					
-	Total viable aerobic microbial	-	cfu/ml	NMT- 1000 cfu/ml	35 cfu/ml	IHS
-	Yeast and mould count	-	cfu/ml	NMT-100 cfu/ml	Less than 10 cfu/ml	IHS
-	Salmonella	-	-	Should be absent	Absent	IHS
-	E .coli	-	-	Should be absent	Absent	IHS
-	Pseudomonas Aeruginosa	-	-	Should be absent	Absent	IHS
-	Staphylococcus Aureus	-	-	Should be absent	Absent	IHS

Opinion:- In the opinion of the undersigned, the sample referred to above is of standard quality / is not of standard quality as defined in the Act and the rules made thereunder for the reasons given below with respect to above test only.

Remarks:- (i) This test report issued for the test performed, as the customer asked for the above test only.

(ii) NS (Not specified)

*****End of Test Report*****

Signature of Person-in-charge of testing

Disclaimer :

- This report is to be produced wholly or in part and cannot be used as evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
- Total liability of Shagun Medi Testing Pvt. Ltd. is limited to the invoice amount.
- The results listed refer only to the tested samples and applicable parameter endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
- All disputes are subjected to Jurisdiction of Panchkula and maximum liability of the laboratory does not exceed the testing charges
- The laboratory may undertake subcontracting e.g. for a part or tests for which facilities do not exist or in case of equipment breakdown or other such factors beyond the control of laboratory. The customer is informed about the sub-contracting as far as practically possible.

