

TEST REPORT

Issued To: SVM BIOTECH PLOT NO. 102, GLOBAL IND. PARK, MAULI, PANCHKULA 134118	Report No. : SMT200825-2371 Report Release Date :20/08/2025 Revision No. : NS Revision Dated :NS Sample Booking No. : P-140825-2371 Sample Booking Date : 14/08/2025
---	---

PART (A) - Sample information:

(1)Name of individual or organization or procurement agency from whom sample received	:	SVM BIOTECH			
(2)Serial number	:	NS	Date of sender's memorandum:	:	NS
(3)Number of Samples	:	01	(4)Date of Receipt of Sample	:	14/08/2025
(5) Name of Ayurvedic , Siddha and Unani drug of raw material purporting to be contained in	:	HERBAL TEA COLD, COUGH & IMMUNITY			
(6) Details of raw material of final products in bulk or final product in finished Pack as obtained by sender.	:	FINISED PRODUCT			
(6.a) Name and address of the manufacturer mentioned on label	:	SVM BIOTECH	(6.a) Manufacturer Fssai No.		10822999000774
(6.b) Name of original manufacturer in the case of raw material and re-packed drugs		(6.c) Batch number	(6.d) Date of Manufacture	(6.e) Date of Expiry	(6.f) Batch Size
NS		FS-232	05/2025	11/2026	50.0 KG
Analysis Started On		14/08/2025	Analysis Completed On		20/08/2025
					Sample Qty.
					100 GM

PART (B): Tested Results

7. Results of test or analysis with protocols of test or analysis applied:-

01	Heavy metals					
-	Lead	-	ppm	Less than 10 ppm	Complies	IHS
-	Arsenic	-	ppm	Less than 3 ppm	Complies	
-	Mercury	-	ppm	Less than 1 ppm	Complies	
-	Cadmium	-	ppm	Less than 0.3 ppm	Complies	

Disclaimer :

- This report is to be produced wholly or in part and cannot be used as evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
- Total liability of Shagun Medi Testing Pvt. Ltd. is limited to the invoice amount.
- The results listed refer only to the tested samples and applicable parameter endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
- All disputes are subjected to Jurisdiction of Panchkula and maximum liability of the laboratory does not exceed the testing charges
- The laboratory may undertake subcontracting e.g. for a part or tests for which facilities do not exist or in case of equipment breakdown or other such factors beyond the control of laboratory. The customer is informed about the sub-contracting as far as practically possible.

02	Microbial test					
-	Total viable aerobic microbial count	-	cfu/gm	NMT- 1000 cfu/gm	35 cfu/gm	IHS
-	Yeast and mould count	-	cfu/gm	NMT-100 cfu/gm	Less than 10 cfu/gm	
-	Salmonella	-	cfu/gm	Should be absent	Absent	
-	E .coli	-	cfu/gm	Should be absent	Absent	
-	Pseudomonas Aeruginosa	-	cfu/gm	Should be absent	Absent	
-	Staphylococcus Aureus	-	cfu/gm	Should be absent	Absent	

Opinion:- In the opinion of the undersigned, the sample referred to above is of standard quality / ~~is not of standard quality~~ as defined in the Act and the rules made thereunder for the reasons given below with respect to above test only.

Remarks:- (i) This test report issued for the test performed, as the customer asked for the above test only.
(ii) NS (Not specified)

*****End of Test Report*****

Signature of Person-in-charge of testing
Signatory
Shagun Medi Testing Pvt. Ltd.
HSIIDC, Alipur

Disclaimer :

- This report is to be produced wholly or in part and cannot be used as evidence in the Court of Law and should not be used in any advertising media without our special permission in writing.
- Total liability of Shagun Medi Testing Pvt. Ltd. is limited to the invoice amount.
- The results listed refer only to the tested samples and applicable parameter endorsement of products is neither inferred nor implied.
- Sample will be destroyed after one month from the date of issue of test report unless otherwise specified.
- All disputes are subjected to Jurisdiction of Panchkula and maximum liability of the laboratory does not exceed the testing charges
- The laboratory may undertake subcontracting e.g. for a part or tests for which facilities do not exist or in case of equipment breakdown or other such factors beyond the control of laboratory. The customer is informed about the sub-contracting as far as practically possible.